Under Section 37 of the Subdivision Act 1988

#### LV USE ONLY

**EDITION** 

PLAN NUMBER

COUNCIL NAME:

#### PS801008T/S4

CITY OF MELTON

#### LOCATION OF LAND

PARISH:

KOROROIT

TOWNSHIP:

SECTION:

CROWN ALLOTMENT: 2B (PART), 3 (PART) & 4 (PART)

**CROWN PORTION:** 

TITLE REFERENCES: Vol.

Fol.

LAST PLAN REFERENCE/S: PS801008T (LOT S4)

POSTAL ADDRESS: (At time of subdivision) 1211 LEAKES ROAD ROCKBANK, 3335

MGA94 Co-ordinates (of approx centre of

land in plan)

Ε 293 840 **N** 5821 060 **ZONE** 55

N	0	т	Δ	Т	10	N	9
1.4	v		м		ıv	14	3

1. LOTS 700 TO 725, 727 TO 799 AND 7101 (ALL INCLUSIVE) SEE CREATION OF

3.LOTS 713 TO 724, 727 TO 744, 747 TO 755, 757 TO 759, 761 TO 768, 770, 771, 774 TO 792 (ALL INCLUSIVE) SEE CREATION OF RESTRICTION C ON

2.LOTS 710 TO 712, 741 TO 745, 768 TO 774 AND 792 TO 795 (ALL

INCLUSIVE) SEE CREATION OF RESTRICTION B ON SHEET 9.

VESTII	VESTING OF ROADS AND/OR RESERVES				
IDENTIFIER	COUNCIL/BODY/PERSON				
ROAD R3	CITY OF MELTON				

BEEN OMITTED FROM THIS PLAN. FOR RESTRICTION AFFECTING:

LOTS 1 TO 699, 726 AND 800 TO 7100 (ALL INCLUSIVE) HAVE

# **NOTATIONS**

DEPTH LIMITATION DOES NOT APPLY

STAGING This is is is a staged subdivision.

Planning permit No. PA2016/5451

SURVEY. THIS PLAN IS IS NOT BASED ON SURVEY.

THIS SURVEY HAS BEEN CONNECTED TO PERMANENT MARKS No(s): PM9, PM12, PM54 (KOROROIT) & PM60 (PYWHEITJORRK)

PROCLAIMED SURVEY AREA:

BRIDGEFIELD 7

THIS IS A SPEAR PLAN.

4.563ha

LOTS ON THIS PLAN MAY BE AFFECTED BY ONE OR MORE OWNERS CORPORATIONS (SEE OWNERS CORPORATION SEARCH REPORT FOR DETAILS).

#### OTHER PURPOSES OF THE PLAN:

SHEET 10.

RESTRICTION A ON SHEET 8.

- 1. REMOVAL OF THAT PART OF WATER SUPPLY & DISTRIBUTION AND / OR TRANSMISSION OF GAS EASEMENT E-3 ON PS801008T AS AFFECTS LAUREL STREET, CLOVER DRIVE AND HEMMINGWAY DRIVE ON THIS PLAN.
- 2. REMOVAL OF WATER SUPPLY, DISTRIBUTION AND / OR TRANSMISSION OF GAS, DRAINAGE & SEWERAGE EASEMENT E-4 ON PS801008T AS AFFECTS LAUREL STREET ON THIS PLAN.
- 3. REMOVAL OF SEWERAGE EASEMENT E-7 ON PS801008T AS AFFECTS CLOVER DRIVE AND HONEYDEW WAY ON THIS PLAN.

100 LOTS

GROUNDS FOR REMOVAL: BY AGREEMENT OF ALL INTERESTED PARTIES UPON REGISTRATION OF THIS PLAN PURSUANT TO SECTION 6(1)(k) OF THE SUBDIVISION ACT 1988.

EASEMENT E-2 IS SHOWN AT EXAGGERATED POSITION IN ENLARGEMENT ON SHEET 2.

#### EASEMENT INFORMATION

LEGEND A-Appurtenant Easement E-Encumbering Easement R-Encumbering Easement (Road)

IMPLIED EASEMENTS UNDER SECTION 12(2) OF THE SUBDIVISION ACT 1988 APPLY TO LOTS IN THIS PLAN.

Easement Reference	Purpose	Width (Metres)	Origin	Land Benefited/In Favour Of
E-1	SEWERAGE	SEE PLAN	INST.	WESTERN REGION WATER CORPORATION
E-2	WATER SUPPLY (THROUGH UNDERGROUND PIPES)	SEE PLAN	INST.	WESTERN REGION WATER CORPORATION
	DISTRIBUTION AND / OR TRANSMISSION OF GAS	SEE PLAN	INST. (SECTION 146 GAS INDUSTRY ACT 2001)	AUSNET GAS SERVICES PTY LTD
E-3	SEWERAGE	SEE PLAN	PS801008T	WESTERN REGION WATER CORPORATION
E-4	SEWERAGE	SEE PLAN	THIS PLAN	WESTERN REGION WATER CORPORATION
E-5	DRAINAGE SEWERAGE	SEE PLAN SEE PLAN	THIS PLAN THIS PLAN	CITY OF MELTON WESTERN REGION WATER CORPORATION
		<u> </u>		

0783S507 VER K.DWG BC/AA


ROHAN MICHAEL BAKKER VERSION K

SURVEYOR REF: 0783s507

ORIGINAL SHEET SIZE: A3

SHEET 1 OF 10

Melbourne Survey T 9869 0813



Under Section 37 of the Subdivision Act 1988

PLAN NUMBER

# PS801008T/S4






CALE	5	0	5	10	15	2
:500	لىسا		THS AR	I F IN MET	RES	
		LLIN	31110 7111	_	1120	


ORIGINAL SHEET SIZE: A3

SHEET 3



## PS801008T/S4





95°57′40″ (27)

284m²

(27)

8.50

221m<sup>2</sup>

758

8.50

221m²

757

755

 $301m^{2}$ 

756

95°57′40″

ALLIANCE

95°57′40″

731

290m²

730

275m²

221m²

729 °S

10.50

275°58′

AMAYA WAY 25.5% 8.75



က

SEE SHEET

725

728

275°57′40″

CALE	5	0	5	10	15 I	
1:500		LEN	GTHS AR	E IN MET	RES	

ORIGINAL SHEET SIZE: A3

761

759


SHEET 5

ROHAN MICHAEL BAKKER VERSION K

Under Section 37 of the Subdivision Act 1988

PLAN NUMBER

PS801008T/S4



ROHAN MICHAEL BAKKER VERSION K

	0783S507 VER K.DWG BC/AA	
	VIEC	
Melbourne Survey T 9869 0	REF 0783s507	
Melbourne Survey T 9869 0	1013	

MGA 94 ZONE 55

5

SEE SHEET

<b>SCALE</b> 1:500	5 لىسىا	5 I GTHS ARI	10 <u>I</u> E IN ME1	15 I RES	20	ORIGINAL SHEET SIZE: A3	SHEET 6


Under Section 37 of the Subdivision Act 1988

PLAN NUMBER

## PS801008T/S4

SHEET 7

SIZE: A3





	ROH/

LENGTHS ARE IN METRES

9

SEE SHEET

Under Section 37 of the Subdivision Act 1988

PLAN NUMBER

## PS801008T/S4

#### **CREATION OF RESTRICTION A**

Upon registration of this plan the following restriction is created:

Land to be Benefited: Lots 700 to 725, 727 to 799 and 7101 (all inclusive) on this plan. Land to be Burdened: Lots 700 to 725, 727 to 799 and 7101 (all inclusive) on this plan.

The registered proprietor or proprietors for the time being of a lot on this plan of subdivision and any heirs, executors, administrators and transferees shall not (without the written consent of Goldfields Living RB Pty Ltd ("Goldfields") or in all other instances with the written consent of each and every registered proprietor of a benefiting lot on the plan of subdivision) at any time on the said lot or any part or parts thereof:

- (a) build or cause to be built or allow to be built or allow to remain a dwelling house or any other improvements; or
- (b) carry out or cause to be carried out or allow to be carried out,

any building or construction works on the lot without applicable plans and specifications (including finishes schedules) being first prepared and submitted to and approved by Goldfields as complying with the Bridgefield Design Guidelines approved under PA2016/5451, a copy of which can be obtained from Goldfields, and then only in compliance with any condition (consistent with any restrictions, controls or guidelines affecting the lot) imposed by Goldfields.

#### **Expiry**

The restriction shall cease to burden any Lot on the Plan of Subdivision with effect from 1st January 2030.

SCALE 0 LENGTHS ARE IN METRES

ORIGINAL SHEET SIZE: A3

SHEET 8

ROHAN MICHAEL BAKKER VERSION K

Under Section 37 of the Subdivision Act 1988

PLAN NUMBER

## PS801008T/S4

#### **CREATION OF RESTRICTION B**

Upon registration of this plan the following restriction is created:

Land to be Benefited: Lots 710 to 712, 741 to 745, 768 to 774 and 792 to 795 (all inclusive) on this plan.

Land to be Burdened: Lots 710 to 712, 741 to 745, 768 to 774 and 792 to 795 (all inclusive) on this plan.

The registered proprietor or proprietors for the time being of a lot on this plan of subdivision shall not construct a dwelling house on any burdened lot unless the dwelling proposed is to be constructed as per the acoustic requirements and typical construction requirements set out in the table below:

Description of Typical Construction to achieve Minimum Acoustic Rating $(R_w^{(1)})$ and achieve the internal noise requirements				
External walls	Roof-ceiling	Glazing	Doors	
R <sub>w</sub> > 50	R <sub>w</sub> > 52	Dependent on glazing area	R <sub>w</sub> > 30	
Typically achieved with:  -Lightweight façade material, such as 75 mm Hebel PowerPanel (45 kg/m²)	Typically achieved with: -Pitched roof at 22.5 degrees, consisting metal deck roofing (minimum BMT 0.48 mm) or roof tiles	$R_w > 32$ for window size up to 2.5 m <sup>2</sup> Typically achieved with:  6.38 mm laminate glass <sup>(2)</sup>	Typically achieved with:  Minimum 40 mm solid  core with good-quality full  perimeter acoustic grade  seals which form an	
-25 mm furring channel -90 mm timber stud framing	with sarking -Minimum R3.6 insulation in roof cavity	$R_w > 36$ for window size up to 4 m <sup>2</sup> Typically achieved with:	airtight seal on door closure	
-Minimum R2.0 insulation placed in cavity -10 mm thick plasterboard (7 kg/m²) internal wall lining	-13 mm thick sound rated plasterboard (minimum 13 kg/m²) internal ceiling lining  Eaves to be sealed and treated to prevent minimise noise break-in to the roof space	10.38 mm laminate glass <sup>(3)</sup> All windows and sliding glass doors shall incorporate full perimeter good-quality acoustic seals which form an airtight seal on closure.		

#### Notes:

- (1)  $R_w$  (Weighted Sound Reduction Index) A single number rating of the sound insulation performance of a specific building element.  $R_w$  is measured in a laboratory and is commonly used by manufacturers to describe the sound insulation performance of building elements such as plasterboard and concrete.
- (2) Should home builders select alternative windows for thermal insulation, (e.g. double glazing), care shall be taken such that the acoustic performance of such system meets the minimum sound transmission loss requirements. The final glazing selection will be dependent on size, function, and relevant Australian Design Standards. This assessment considers a variety of bedroom sizes with total glazing areas up to 4 m<sup>2</sup> per room.
- (3) For this assessment, split system air-conditioning systems have been assumed in preference to the more acoustically open evaporative type air conditioning systems. Ventilation paths may be required to be acoustically treated to control noise break-in and ensure that the sound insulation performance of the building envelope is not compromised.

Forms of suitable ventilation may include a ducted system with internal lining or an acoustically rated trickle vent system such as a Silenceair or Titon Trimvent system or an approved equivalent.

(4) The treatments shown apply to single and double storey dwellings on all burdened lots.

	0783S507 VE	R K.DWG BC/AA	
		_	
	ME	_	
Malla anno Common Toogo	no4a REF	0783s507	
Melbourne Survey T 9869	U813 ··-·		

SCALE	0	
	LENGTHS ARE IN METRES	

Under Section 37 of the Subdivision Act 1988

PLAN NUMBER
PS801008T/S4

#### **CREATION OF RESTRICTION C**

Upon registration of this plan the following restriction is created.

#### **DESCRIPTION OF RESTRICTION**

Table of land burdened and land benefited:

TO THE SMALL LOT	BENEFITING LOTS ON THIS PLAN		
HOUSING CODE			
713	714, 740, 741, 743, 744, 745		
714	713, 715, 739, 740		
715	714, 716, 739		
716	715, 717, 738, 739		
717	716, 718, 737, 738		
718	717, 719, 736, 737		
719	718, 720, 735, 736		
720	719, 721, 735		
721	720, 722, 734, 735		
722	721, 723, 733, 734		
723	722, 724, 732, 733		
724	723, 725, 732		
727	725, 728		
728	725, 727, 729		
729	725, 728, 730, 731		
730	729, 731		
731	725, 729, 730, 732		
732	723, 724, 725, 731, 733		
733	722, 723, 732, 734		
734	721, 722, 733, 735		
735	719, 720, 721, 734, 736 718, 719, 735, 737		
736			
737	717, 718, 736, 738		
738	716, 717, 737, 739		
739	714, 715, 716, 738, 740		
740	713, 714, 739, 741		
741	713, 740, 742, 743		
742	741, 743		
743	713, 741, 742, 744		
744	713, 743, 745		
747	746, 748, 766, 767		
748	747, 749, 766		
749	748, 750, 765, 766		
750	749, 751, 764, 765		
751	750, 752, 764		
ارر ۱	150, 152, 104		

	1
BURDENED LOTS SUBJECT	BENEFITING LOTS ON THIS PLAN
TO THE SMALL LOT HOUSING CODE	
752	751, 753, 763, 764
752	· · · · · ·
	752, 754, 762, 763
754	753, 755, 761, 762
755	754, 756, 757, 758, 761
757	755, 756, 758
758	755, 757, 759, 761
759	758, 760, 761
761	754, 755, 758, 759, 760, 762
762	753, 754, 761, 763
763	752, 753, 762, 764
764	750, 751, 752, 763, 765
765	749, 750, 764, 766
766	747, 748, 749, 765, 767
767	746, 747, 766, 768
768	746, 767, 769, 770
770	746, 768, 769, 771
771	746, 770, 772
774	773, 775, 792, 793
775	774, 776, 792
776	775, 777, 791
777	776, 778, 790
778	777, 779, 789
779	778, 780, 788
780	779, 781, 787
781	780, 782, 783, 786
782	781, 783
783	781, 782, 784, 786
784	783, 785, 786
785	784, 786
786	781, 783, 784, 785, 787
787	780, 786, 788
788	779, 787, 789
789	778, 788, 790
790	777, 789, 791
791	776, 790, 792
792	774, 775, 791, 793
172	117, 113, 171, 173

The registered proprietor or proprietors for the time being for any burdened lot on this plan in the table as a lot subject to the 'Small Lot Housing Code (Type A)' must not build or permit to be built or remain on the lot any building or structure that has not been constructed in accordance with the 'Small Lot Housing Code (Type A)' unless in accordance with a planning permit granted to construct a dwelling on the lot.

This restriction shall cease to have effect after the issue of certificate of occupancy for the whole of the dwelling on the lot.

ORIGINAL SHEET

SIZE: A3

SHEET 10